Push/Pull Door Handles



We take the worry out of protecting what's valuable to you. Lockwood: *no worries*[®]





www.lockweb.com.au

Contents





184 Brass Furniture Offset Pull Handle

page 4

185 Brass Furniture Offset Pull Handle

page 5



214/215 Series 10mm Radius Corner Push/Pull Plates

page 6



216/217 Series 10mm Radius Corner Push/Pull Plates

page 8





10mm Radius Corner Push/Pull Plates

page 10

2



206/207 P3 Handle

Square Corner

Push/Pull Plates

page 13




208/209 P4 Square Corner Push/Pull Plates

page 16




Pull Handles

page 19





Contents





Finishes

page 34



184 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 1800 and 2800 Series Brass Plate Furniture, the 184 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks using Lockwood 1800 or 2800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

| Product Details | | | |
|-----------------|--|--|--|
| Dimensions | Length: 160mm Projection: 48mm Screw Centres: 147mm Finger Clearance: 44mm | | |
| Finishes | Satin Chrome Brushed (SC) | | |
| Fixing | The 184 Pull is designed with 147mm screw centres to enable it to be fixed through a standard visible fix brass plate (1900 or 2900). Plates are to be ordered separately to the 184 and care should be taken to ensure that a visible fix plate is specified for both sides of the door. | | |
| Screws | Supplied with M4 x 120mm x 2 screws | | |



Disabled Access - AS1428.1



185 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 4800 and 5800 Series Brass Plate Furniture, the 185 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3580 Synergy Series and 3780 Selector Series Mortice Locks using Lockwood 4800 or 5800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

| Product Details | | | |
|-----------------|--|--|--|
| Dimensions | Length: 176mm Projection: 48mm Screw Centres: 159mm Finger Clearance: 44mm | | |
| Finishes | Satin Chrome Brushed (SC) Chrome Plate (CP) | | |
| Fixing | The 185 Pull is designed with 159mm screw centres to enable it to be fixed through a standard visible fix brass plate (4900 or 5900). Plates are to be ordered separately to the 185 and care should be taken to ensure that a visible fix plate is specified for both sides of the door. | | |
| Screws | Supplied with M4 x 120mm x 2 screws | | |

Standards and Compliance



Disabled Access - AS1428.1



214/215 Series 10mm Radius Corner Push/Pull Plates



Application

The 214 Series Door Furniture is 300 x 100 x 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

| Product Details | | | | |
|-----------------|---|--|--|--|
| Dimensions | Length: 300mm Width: 100mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm | | | |
| Materials | Stainless steel or brass | | | |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. | | | |
| Finishes | Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB) | | | |

Standards and Compliance



Disabled Access - AS1428.1



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.




| D Handle Se | elections | | | |
|---------------|--|----------|-----------|-----------|
| Handle 17.5mm | n P1 | P2 | Р3 | P4 |
| Centres | 108mn | n 152mm | 203mm | 250mm |
| Function | Description | No Engra | ving With | Engraving |
| 24 | Pull Handle Only | P4 | Р3 | |
| 25 | Pull Handle and Cylinder | P2 | P2 | |
| 26 | Pull Handle and Emergency Turn | Р2 | P2 | |
| 27 | Pull Handle and Turn Knob | P2 | P2 | |
| 28 | Pull Handle and Privacy Indicator Emergency Turn | P2 | P2 | |
| 42 | Pull Handle and Disabled Turn | P2 | P1 | |
| 44 | Pull Handle Only – Offset from Bottom | P1 P2 | х | |

Note: x indicates this function is not available in this configuration.

MECHANICA Warranty

25YEAR

External Plates



216/217 Series 10mm Radius Corner Push/Pull Plates



Application

8

The 216 Series Door Furniture is 300 x 65 x 2mm thick stainless steel or brass plate with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

| Product Details | | | |
|-----------------|---|--|--|
| Dimensions | Length: 300mm Width: 65mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm | | |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. | | |
| Finishes | Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB) | | |
| Materials | Stainless steel or brass | | |

Standards and Compliance




Disabled Access - AS1428.1



| D Handle S | elections | $\bigcap ($ | | | | |
|--------------|---|-------------|----------|-------|----------------|--|
| Handle 17.5m | m | P1 | P2 | Р3 | P4 | |
| Centres | | 108mm | 152mm | 203n | nm 250mm | |
| Function | Descript | ion | No Engra | iving | With Engraving | |
| 24 | Pull Handle | Only | P4 | | РЗ | |
| 25 | Pull Handle and Cylinde | ſ | P2 | | Р2 | |
| 26 | Pull Handle Emergency | | P2 | | Р2 | |
| 27 | Pull Handle and Turn Kn | ob | P2 | | P2 | |
| 28 | Pull Handle Privacy Indie Emergency | cator | P2 | | Р2 | |
| 42 | Pull Handle Disabled Tu | | Р2 | | Р2 | |
| 44 | Pull Handle Offset from | | P1 P2 | | x | |

Note: x indicates this function is not available in this configuration.



MECHANICA Warranty

218/219 Series 10mm Radius Corner Push/Pull Plates



Application

The 218 Series Door Furniture is 250 x 50 x 2mm thick stainless steel or brass with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

| Product Details | | | | |
|-----------------|---|--|--|--|
| Dimensions | Length: 250mm Width: 50mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm | | | |
| Materials | Stainless steel or brass | | | |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. | | | |
| Engraving | Options are available as indicated on the right. | | | |
| Finishes | Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB) | | | |

Standards and Compliance




Disabled Access - AS1428.1



218/219 Series 10mm Radius Corner Push/Pull Plates

| D Handle Selections | | | | | |
|---------------------|--|-------|--------------|----------------|--|
| Handle 17.5m | Handle 17.5mm | | P2 | Р3 | |
| Centres | | 108mm | 152mm | 203mm | |
| Function | Description | | No Engraving | With Engraving | |
| 24 | Pull Handle Only | | Р3 | Р2 | |
| 25 | Pull Handle and Cylinder | | P1 | P1 | |
| 26 | Pull Handle and Emergency Turn | | P1 | P1 | |
| 27 | Pull Handle and Turn Knob | | P1 | P1 | |
| 28 | Pull Handle and Privacy Indicator Emergency Turn | | P1 | Р1 | |
| 42 | Pull Handle and Disabled Turn | | P1 | P1 | |
| 44 | Pull Handle Only - Offset from Botto | | P1 P2 | x | |
| | | | | | |

Note: x indicates this function is not available in this configuration.





Ordering Procedure

Sample part number 21825NA/P2LSS is made up of several sections. Choose your product by selecting an option from each section.

2000 Series

| Plate Type | Plate Function |
|--|-------------------|
| 218 | 25 |
| Plate Type | |
| Exterior Plate (3 – Radius Corners | |
| Interior Plate (3) – Radius Corners | |
| Exterior Plate (3 – Radius Corners | |
| Interior Plate (3) – Radius Corners | |
| Exterior Plate (2 – Radius Corner | |
| Interior Plate (2) Radius Corners | 50 x 50)- 219 |
| Plate Function | ı |

Cylinder Only 00 **Emergency Turn Only** 02 Turn Knob Only 06 Plain Plate 07 Privacy Indicator Emergency Turn Only 13 Pull Handle Only 24 Pull Handle and Cylinder 25 Pull Handle and 26 **Emergency Turn** Pull Handle and Turn Knob 27 Pull Handle and Privacy Indicator Emergency Turn 28 Disabled Turn Only - Synergy 38 Pull Handle and Disabled Turn Only - Synergy 42 Pull handle only offset from bottom 44

| Ν | А |
|--|------|
| Engraving | |
| A – G Outlined In R – X Full Infill | fill |
| Male Symbol | A |

Male Terre

Cylinder Shape

R

S T

A

Ν

| Male lext | В | S |
|--------------------|------|---|
| Female Symbol | С | Т |
| Female Text | D | U |
| Disabled Symbol | Ε | V |
| Push Text | F | W |
| Pull Text | G | Х |
| Unisex Symbol | Н | Υ |
| No Option | N | |
| Miscellaneous Text | P*^~ | |
| Corporate Image | Q*^~ | |

*Line drawing of artwork in desired size must be specified on order. ^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

Cylinder Shape

| Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders | |
|--|--|
| No Cylinder Function | |

| Handle | Handing | | |
|--------------------|---------|--|--|
| | | | |
| P2 | - | | |
| | | | |
| Lever/ Knob Type | | | |
| Brass Pull Handles | | | |
| P1 I | P2 P3 | | |

| | 12 | 15 |
|----|----|----|
| P4 | | |
| | | |

Handing

| Left Hand | ed |
|-----------|------|
| Right Har | nded |

* Note 2 - Not all handles are available with each function, please refer to the function chart for each specific series and function.

| SS | |
|--------------------------|-----|
| Finish | |
| Stainless Steel Finishes | |
| Satin Stainless Steel | SS |
| Polished Stainless Steel | PS |
| Powdercoat | PC* |
| 316 Marine Grade | MG |
| | |

Brass Finishes

R

Finish

Polished Brass

PB

* Note 1 - Powdercoat finish is not available with engraving options.



206/207 P3 Square Corner Push/Pull Plates



Application

The 206/207 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

| Product Details | | |
|-----------------|--|--|
| Dimensions | Length: 250mm Width: 200mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm | |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. | |
| Finishes | Satin Stainless Steel (SS) Powdercoat (PC) | |
| Materials | Stainless steel | |

Standards and Compliance



Disabled Access - AS1428.1



206/207 P3 Square Corner Push/Pull Plates

| D Handle Selection | | | | C |
|---|---------|---------|------------|---|
| Stainless Steel 17.5mm | | | P3 | |
| Centres | | | 203mm | |
| Plates | | °° | | |
| 20600NA 20700NA | 20607NN | 20707NN | 20624NN/P3 | |
| 20000NA 2000NA 200NA | 2007144 | 2010111 | 2002441913 | |
| Legend Cylinder Hole | | | | |



Ordering Procedure

Pull Handle Only

Pull Handle and Cylinder 25

Pull Handle and Privacy Indicator Emergency Turn 28

Sample part number 20625NA/P3LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Engraving | Cylinder Shape | Hand | le | Handing | Finish | |
|-------------------------------------|-------------------|-------------------|-------------------|---------|---------------|----------|--|--------------|
| 206 | 25 | Ν | А | / P | 3 | - | SS | |
| Plate Type | | Engraving | | Lever | / Knob Typ | e | Finish | |
| Exterior Plate (2 | , | A – G Outlined I | nfill | Stainle | ess Steel Pul | l Handle | Stainless Steel Fin | ishes |
| – Square Corne | | R – X Full Infill | | P3 | | | Satin Stainless Stee | 2 |
| Interior Plate (2 – Square Corne | , | Male Symbol | A R | Hand | ing | | Powdercoat | P |
| - Square Corrie | 13 201 | Male Text | B S | | | | 316 Marine Grade | N |
| Plate Functio | n | Female Symbol | C T | Left Ha | nded | L | | |
| Culindan Only | 00 | Female Text | D U | Right H | landed | R | * Note 1 - Powdercoat fil available with engravii | nish is not |
| Cylinder Only | | Disabled Symbo | DI E V | | | | aranasie with englavit | .6 00 00015. |
| Plain Plate | 07 | | 5 11/ | | | | | |

FW

G X

ΗY

Ν

P*^~

Q*^~

А

Ν

| *Line drawing of artwork in desired size must be specified on order. |
|---|
| ^Desired location of engraving measured from the top left corner of plate must be specified on order. |
| ~ Infill or Outline of engraving must be |

Push Text

Pull Text

No Option

Unisex Symbol

Miscellaneous Text Corporate Image

24

~ Infill or Outline of engraving must be specified on order.

Cylinder Shape

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders No Cylinder Function

| <u>25year</u> | MECHANICAL Warranty |
|---------------|------------------------|
|---------------|------------------------|

SS

PC*

208/209 P4 Square Corner Push/Pull Plates



Application

The 208/209 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

| Product Details | | |
|-----------------|--|--|
| Dimensions | Length: 324mm Width: 162mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm | |
| Materials | Stainless steel | |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. | |
| Finishes | Satin Stainless Steel (SS) Powdercoat (PC) | |

Standards and Compliance



Disabled Access - AS1428.1



208/209 P4 Square Corner Push/Pull Plates

| D Handle Selections | |
|---|--|
| Brass or Stainless Steel 17.5mm | P4 |
| Centres | 250mm |
| Plates • <td>0 0 0 0 0 0 0 0 0 0 0 0 0 0</td> | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| Legend Cylinder Hole | |



Ha

P4

Ordering Procedure

Sample part number 20825NA/P4LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | |
|--|-------------------|--|
| 208 | 25 | |
| Plate Type | | |
| Exterior Plate (324 x 162) – Square Corners 208 | | |

| Interior Plate (324 x 162) | | Male |
|---|-----|--------|
| – Square Corners | 209 | Male |
| Plate Function | | Fema |
| Cylinder Only | 00 | Fema |
| Plain Plate | 07 | Disat |
| Pull Handle Only | 24 | Push |
| Pull Handle and Cylinder | 24 | Pull T |
| | 23 | Unise |
| Pull Handle and Privacy Indicator Emergency Turn | 28 | No O |

| Engraving | Sh |
|-----------|----|
| Ν | |

linder

аре Α

| graving | |
|---------|--|
| | |

| A – G Outlined Infill R – X Full Infill | | |
|--|---|------|
| Male Symbol | А | R |
| Male Text | В | S |
| Female Symbol | С | Т |
| Female Text | D | U |
| Disabled Symbol | E | V |
| Push Text | F | W |
| Pull Text | G | Х |
| Unisex Symbol | Н | Y |
| No Option | ١ | ١ |
| Miscellaneous Text | P |)*^~ |
| Corporate Image | Ç |)*^~ |
| | | |

*Line drawing of artwork in desired size must be specified on order. ^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

Cylinder Shape

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders А No Cylinder Function Ν

| ndle | Handing |
|------|---------|
| P4 | _ |

Lever/ Knob Type

Stainless Steel Pull Handle

| Handing | |
|--------------|---|
| Left Handed | L |
| Right Handed | R |

| Finish | |
|--------------------------|-----|
| Stainless Steel Finishes | |
| Satin Stainless Steel | SS |
| Powdercoat | PC* |
| 316 Marine Grade | MG |

Finish

SS

* Note 1 - Powdercoat finish is not available with engraving options.



Pull Handles



All pull handles are designed for single handle application and can be used with Lockwood Pull Plates and Roses.

| Product Details | | | | |
|-----------------|---|--|--|--|
| Materials | Brass and stainless steel | | | |
| Fixing | Handles are concealed fixed. If ordered with Lockwood Pull Plates or Roses, handles are screw fixed to plates. | | | |
| Screws | Individual pull handles are supplied with M5 x 65mm Pan Head Screws x 2 | | | |

Standards and Compliance



Disabled Access - AS1428.1



Pull Handles

| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance | Brass | 304 Stainless Steel | Old Handle |
|------------------|--------|----------|------------|-------------------|---------------------|-------|---------------------------|---------------|
| P1 | 125 | 17.5 | 57 | 108 | 40 | 1 | 1 | 05, 16 |
| P2 | 170 | 17.5 | 57 | 152 | 40 | 1 | 1 | 07, 17 |
| P3 | 220 | 17.5 | 57 | 203 | 40 | 1 | 1 | 08, 18 |
| P4 | 267 | 17.5 | 57 | 250 | 40 | 1 | 1 | 19 |
| B2 | 170 | 17.5 | 60 | 152 | 43 | 1 | - | 07, 17 |
| B3 | 220 | 17.5 | 60 | 203 | 43 | 1 | - | 08, 18 |
| B4 | 267 | 17.5 | 60 | 250 | 43 | 1 | - | 19 |

P Series handles comply with AS1428.1 when used on plates or fitted directly to a door. B Series handles comply with AS1428.1 when used on brass roses, such as 1222.

Image for illustration only

| Back to | Back Pull F | landle |
|---------|-------------|--------|
| | | |

| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance |
|------------------|--------|----------|------------|-------------------|---------------------|
| P2/2SSS | 171 | 19 | 60 | 152 | 41 |

Material -304 Grade Stainless Steel.

20




| Brass 38 Elbow Pull Handle | | | | | | | |
|----------------------------|--------|----------|------------|-------------------|---------------------|--|--|
| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance | | |
| 38 | 248 | 16 | Base: 54 | 152 | 38 | | |
| | | | Тор: 73 | | | | |

Designed for single handle applications for hospitals, disabled and aged care facilities. Material -solid brass.





Lockwood Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.

Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors


| Product Details | | | | | |
|-----------------|--|--|--|--|--|
| Dimensions | Refer to next couple of pages for product dimensions. | | | | |
| Materials | Stainless Steel Construction: Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments. | | | | |
| Finishes | Satin Stainless Steel (SSS) Matt Black (MBK) * Powder Coated (PC) * | | | | |

* Available on selected models. Refer to page 27 for further details.

Standards and Compliance




Disabled Access - AS1428.1





| 141 Series | | | | | | |
|------------|------------|--------------------------------|----------|------|-------|------|
| Dimensions | | | | | | |
| | Α | B1 | B2 | с | D | E |
| 141x300SSS | 300mm | 22mm | 40mm | 45mm | 450mm | 25mm |
| 141x450SSS | 450mm | 22mm | 40mm | 45mm | 600mm | 25mm |
| 141x600SSS | 600mm | 22mm | 40mm | 45mm | 750mm | 25mm |
| | | | | | | |
| Fixing | | | | | | |
| Timber | 2 x 80mm | 2 x 80mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 40mm | M8 Bolts - | 13mm hol | e | | |
| E | Disabled A | Accessible A | AS1428.1 | | | |







141X600SSS

| 142 | | | | | |
|------------|-------|------|------|-------|------|
| Dimensions | | | | | |
| | Α | В | С | D | E |
| 142x300SSS | 300mm | 32mm | 45mm | 450mm | 25mm |
| 142x450SSS | 450mm | 32mm | 45mm | 600mm | 25mm |
| 142x600SSS | 600mm | 32mm | 45mm | 750mm | 25mm |
| | | | | | |

| Fixing | |
|--------|--------------------------------|
| Timber | 2 x 80mm M8 Bolts - 8.5mm hole |
| Glass | 2 x 40mm M8 Bolts - 13mm hole |
| ٢ | Disabled Accessible AS1428.1 |










143X600SSS

| 143 | | | | | |
|------------|------------|---------------|----------|------|-------|
| Dimensions | | | | | |
| | Α | B1 | B2 | С | D |
| 143x300SSS | 300mm | 30mm | 15mm | 35mm | 315mm |
| 143x450SSS | 450mm | 30mm | 15mm | 35mm | 465mm |
| 143x600SSS | 600mm | 30mm | 15mm | 35mm | 615mm |
| | | | | | |
| Fixing | | | | | |
| Timber | 2 x 62mm | M6 Bolts - 8. | 5mm hole | | |
| Glass | 2 x 32mm | M6 Bolts - 13 | 3mm hole | | |
| 6 | Disabled A | ccessible AS | 1428.1 | | |




| 145 | | | | | | |
|------------|-------------|--------------------------------|-------|-------|------|--|
| Dimensions | | | | | | |
| | Α | В | с | D | E | |
| 145x225SSS | 225mm | 25mm | 45mm | 300mm | 19mm | |
| 145x375SSS | 375mm | 25mm | 45mm | 450mm | 19mm | |
| 145x525SSS | 525mm | 25mm | 45mm | 600mm | 19mm | |
| | | | | | | |
| Fixing | | | | | | |
| Timber | 2 x 70mm N | 2 x 70mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 30mm N | 2 x 30mm M8 Bolts - 13mm hole | | | | |
| 8 | Disabled Ac | cessible AS1 | 428.1 | | | |






145X525SSS

| 146 | | | | | | | |
|------------|-------------------------------|--------------------------------|----------|-------|------|------|--|
| Dimensions | | | | | | | |
| | Α | В | с | D | E | F | |
| 146x450SSS | 450mm | 25mm | 60mm | 475mm | 60mm | 25mm | |
| 146x600SSS | 600mm | 25mm | 60mm | 625mm | 60mm | 25mm | |
| Fixing | | | | | | | |
| Timber | 2 x 80mm | 2 x 80mm M8 Bolts - 8.5mm hole | | | | | |
| Glass | 2 x 40mm M8 Bolts - 13mm hole | | | | | | |
| 8 | Disabled A | Accessible | AS1428.1 | | | | |






| 147 | | | | | | |
|------------|-------------------------------|--------------------------------|--------|-------|------|--|
| Dimensions | | | | | | |
| | Α | В | С | D | E | |
| 147x450SSS | 450mm | 19mm | 45mm | 600mm | 19mm | |
| Fixing | | | | | | |
| Timber | 2 x 62mm | 2 x 62mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 32mm M8 Bolts - 13mm hole | | | | | |
| S | Disabled A | ccessible AS | 1428.1 | | | |



147X450SSS



| 151 | | | | | |
|------------|--------------------------------|---------------|----------|-------|-------|
| Dimensions | | | | | |
| | А | В | с | D | E |
| 151x300SSS | 300mm | 32mm | 80mm | 332mm | 200mm |
| Fixing | | | | | |
| Timber | 2 x 80mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 40mm / | M8 Bolts - 13 | 3mm hole | | |








151X300SSS


| 192 | | | | | | |
|------------|------------|--------------------------------|--------|-------|--|--|
| Dimensions | | | | | | |
| | Α | В | С | D | | |
| 192x450SSS | 450mm | 32mm | 85mm | 482mm | | |
| 192x600SSS | 600mm | 32mm | 85mm | 632mm | | |
| Fixing | | | | | | |
| Timber | 2 x 80mm N | 2 x 80mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 40mm M | 18 Bolts - 13mi | m hole | | | |





192X600SSS

| 231 | | | | | |
|------------|--------------------------------|---------------|----------|-------|-------|
| Dimensions | | | | | |
| | Α | В | С | D | E |
| 231x300SSS | 300mm | 32mm | 85mm | 332mm | 140mm |
| Fixing | | | | | |
| Timber | 2 x 80mm M8 Bolts - 8.5mm hole | | | | |
| Glass | 2 x 40mm | M8 Bolts - 13 | 3mm hole | | |





231X300SSS




Ordering Procedure

Sample part number 141X300SSS is made up of several sections. Choose your product by selecting an option from each section.

| Design | Centre to Centre | Finish | | | |
|-----------|---------------------|--|----------|-----------------------|-----|
| 141 | X 300 | SSS | | | |
| Design | | Centre to Centre | | Finish | |
| 141 Style | 141 | 300mm Centres | 300 | Satin Stainless Steel | SSS |
| 142 Style | 142 | 141, 142, 143, 151, 231 | | | |
| 143 Style | 143 | 450mm Centres 141, 142, 143, 146, 147, 19 | 450 7 | | |
| 145 Style | 145 | 600mm Centres | 600 | | |
| 146 Style | 146 | 141, 142, 143, 146, 192 | 000 | | |
| 147 Style | 147 | 225mm Centres | | | |
| 151 Style | 151 | (145 Style Only) | 225 | | |
| 192 Style | 192 | 375mm Centres | | | |
| 231 Style | 231 | (145 Style Only) | 375 | | |
| | | 525mm Centres (145 Style Only) | 525 | | |
| Design | | Centre to Centre | | Finish | |
| Ū | 1.41 | | 600 | | MDK |
| 141 Style | 141 | 600mm Centres 141, 143, | 600 | Matt Black | MBK |
| 143 Style | 143 | כדו , ודו, | | Powdercoated | PC |



Paradigm[®] Pull Handle Lockset - Deadbolt



The Australian designed Paradigm[®] Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security.

Suitable for residential, new building and renovation market applications.

The Pull Handle lockset incorporates innovative safety features from the Paradigm 005 Deadbolt and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- Three function modes with DualSelect[®] provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Brushed 304 Grade Stainless Steel Pull Handles
- Concealed screw fixings gives a neat and clean appearance
- Safety Release[™] automatically unlocks internal knob upon key entry from outside
- LockAlert[®] indicator shows lock status at a glance

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

| Product Details | | | | | |
|-----------------|--|--|--|--|--|
| Dimensions | External handle length - 600mm Internal handle length - 500mm Handle width - 30mm | | | | |
| Backset | 60mm-70mm adjustable | | | | |
| Bolt | High security cut resistant | | | | |
| Cylinder | 5 pin tumbler mechanism Brass cylinder and brass barrel | | | | |
| Door Thickness | 32 - 46mm 32-36mm doors require a spacer (Included) | | | | |
| Finishes | Satin Stainless Steel (SSS) | | | | |
| Materials | 304 Grade Stainless Steel | | | | |
| Strike | Box strike with concealed crossgrain door frame strengthening screw | | | | |
| Magnets | Door Magnets included to hold the door(s) in position when in passage mode (free to enter from outside and free to exit from inside) | | | | |
| Keying | Supplied individually keyed with two keys per lock 78,000 key combinations Key blank KB2015P | | | | |

Standards and Compliance


| SL8 | (Security) Australian Lock Standard (AS4145.2 - 2008) |
|------------|---|
| D8 | (Durability) Australian Lock Standard (AS4145.2 - 2008) |
| C6 | (Corrosion) Australian Lock Standard AS4145.2 - 2008) |
| К5 | (Key Security) Australian Lock Standard AS4145.2 - 2008) |





Paradigm[®] Pull Handle Lockset - Deadbolt



Pull Handle Lockset







Exterior

Interior



DualSelect[®] Turn the key for safety mode. Turn the key further to select secure mode.



SafetyRelease™ Minimises the risk of being locked in.




Corrosion Resistant Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Kinetic Defence® Bump and pick resistant.

MECHANICA Warranty





2 Keys Included Can be keyed alike to other

Proportionally distributes the load



Door Thickness

Lockwood door locks.

Counterbalance Bolt



32mm to 46mm.



LockAlert® Interior Indicator shows lock status at a glance.



Safety Mode Securely locked from outside and free from inside.




Secure Mode Securely locked from both inside and outside. For when nobody is home.



Passage Mode Free to enter from outside and free to exit from inside.



Paradigm[®] Pull Handle Lockset - Deadlatch



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Pull Handle latching lockset is available in single and double cylinder variants.

Both variants are specifically designed for semi-commercial and apartment building applications. The locksets have been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1:Fire Resistant Doorset.

The Pull Handle lockset applies the innovative safety features from the Paradigm 005 Deadbolt into a latching lockset and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- High security cut resistant Stainless
 Steel latch
- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance
- Safety Release[™] automatically unlocks internal knob upon key entry from outside^{*}
- LockAlert[®] indicator shows lock status at a glance*

*Only available in double cylinder variant

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

| Product Details | | | | | |
|--|--|--|--|--|--|
| Dimensions External handle length - 600mm Internal handle length - 500mm Handle width - 30mm | | | | | |
| Backset | 60mm | | | | |
| Latch | High security cut resistant Stainless Steel deadlatch | | | | |
| Cylinder5 pin tumbler mechanismBrass cylinder and brass barrel | | | | | |
| Door Thickness | 32-46mm 32-36mm require a spacer (included) | | | | |
| Finishes | Satin Stainless Steel (SSS) | | | | |
| Materials | 304 Grade Stainless Steel | | | | |
| Keying | Supplied individually keyed with two keys per lock 78,000 key combinations Key blank KB2015P | | | | |

Standards and Compliance


| ė | The Paradigm Pull Handle latching Lockset has been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset for commercial applications. |
|-----------|--|
| S∟7 | (Security) Australian Lock Standard (AS4145.2 - 2008) |
| D8 | (Durability) Australian Lock Standard (AS4145.2 - 2008) |
| C6 | (Corrosion) Australian Lock Standard AS4145.2 - 2008) |
| К5 | (Key Security) Australian Lock Standard AS4145.2 - 2008) |





Paradigm[®] Pull Handle Lockset - Deadlatch




Pull Handle Lockset









Interior View (Single Cylinder)

29

Exterior

Interior Double Interior Single Cylinder Cylinder



SafetyRelease[™]* Minimises the risk of being locked in.




Kinetic Defence[®] Bump and pick resistant.



Corrosion Resitant Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.







Door Thickness



Safety Mode Securely locked from outside

Interior Indicator shows lock



and free from inside.

Secure Mode* Securely locked from both inside and outside. For when nobody is home.


* Not available for Single Cylinder variant

LockAlert[®]*

status at a glance.



Paradigm[®] Pull Handle Lockset - Dummy Handle



The Australian designed Paradigm[®] Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm[®] Dummy Handle is designed to be used along side the Paradigm Pull Handle lockset in double door applications.

Manufactured with high end 304 grade Stainless Steel that comes in a brushed satin finish, the Paradigm Dummy Handle provides premium quality with contemporary styling for modern double door entrances.

Key Features

- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance


| Product Deta | Product Details | | | | |
|----------------|---|--|--|--|--|
| Dimensions | External handle length - 600mm Internal handle length - 500mm Handle width - 30mm | | | | |
| Door Thickness | 32-46mm | | | | |
| Finishes | Satin Stainless Steel (SSS) | | | | |
| Materials | 304 Grade Stainless Steel | | | | |



Paradigm[®] Pull Handle Lockset - Dummy Handle



Dummy Handle (Non-functioning) for double door application.



Exterior

Interior



Corrosion Resitant Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Door Thickness 32mm to 46mm.




Paradigm[®] Pull Handle Locksets

Ordering Procedure

Sample part number 005/DPHBSSS5PK is made up of several sections. Choose your product by selecting an option from each section.

Paradigm[®] Pull Handle Locksets



| Туре | |
|------------------------------|------|
| Double Cylinder Deadbolt | DPHB |
| Double Cylinder Deadlatch | DPHL |
| Single Cylinder Deadlatch | SPHL |
| Dummy Handle | PHD |

| inish | | |
|-------|--|--|
| | | |

Satin Stainless Steel SSS

| Keying Options | |
|---|------------|
| Keyed to Differ (Standa | rd) |
| Special Keying-Resident Keyed Alike 5P | ial 5KA |
| Keyed Alike 6P | 6KA |
| Project Keyed 5P | 5PK |
| Project Keyed 6P | 6PK |
| Restricted Profile 5P | 5RP |

Lockwood Product Catalogue | Push/Pull Door Handles 32 1300 LOCK UP (1300 562 587) lockweb.com.au



When it comes to safety it's primal, it's our survival, a basic human need. We want freedom to live, explore and rest without fear. To leave behind in safety our precious, cherished and most valuable things. And to come back to them exactly as we left them.

For as long as we have valuables, we will always need protection. Though the need for our products is driven by concerns, the Belief in our Brand is propelled by confidence. An unquestioned confidence in our ability to protect what is most important to you.

Our products provide peace of mind through strength, substance and style. Our reputation is forged in traditions, supreme workmanship, uncompromised values and above all our people. We are a trusted, tireless and vigilant guardian that protects families, households, trades and businesses.

Because if feeling safe is a basic human need, knowing you're safe is why Lockwood exists. For over 75 years, our guiding principle is and will always be: To take the worry out of protecting what is valuable to you.

Lockwood: no Worries®

Metal Finishes

For Metal Finish sample refer to code under each image.



Antique Copper (AC) Sample Code: FIN-SAMPLEAC*



Architectural Bronze Unlacquered (AU) Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB) Sample Code: FIN-SAMPLEORB*



Aged Brass (AG) Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ) Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB) Sample Code: FIN-SAMPLEPB**



Satin Brass **(SB)** Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU) Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered **(SBU)** Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC) Sample Code: FIN-SAMPLESC



Chrome Plating (CP) Sample Code: FIN-SAMPLECP



Stainless Steel (SS) Sample Code: FIN-SAMPLESS



Polished Stainless Steel (PS) Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT) Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative. **Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call **1300WARRANTY**



For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.

| Dulux Duratec Eternity Eternity Charcoal Pearl Satin | Dulux Electro Black Ace Flat | Dulux Electro Dark Bronze Flat | Dulux Electro Medium Bronze Flat | Dulux Precious Charcoal Metallic Pearl Gloss |
|--|--|--|---|--|
| | | | | |
| Dulux Precious Citi Pearl Matt | Dulux Precious Natural Pearl Matt | Dulux Duralloy Shoji White Satin | Dulux Alphatec White Matt | Dulux Duralloy White Satin |
| | | | | |
| Dulux Surreal Effects Mannex Mannex Black Effect | Dulux Surreal Effects Scylla Red Brown Scylla Effect | Dulux Duralloy Black Gloss | Dulux Duralloy СВ Monument® Satin | – Dulux Duralloy Black (C/B Night Sky®) Satin |
| | | | | |
| Dulux Duralloy св Jasper® Satin | Dulux Duralloy св Monument® Matt | Dulux Duralloy c Deep Ocean® Satin | B Dulux Duralloy CB Dune® Satin | Dulux Duralloy Woodland Grey® Satin |
| | | | | |
| Dulux Duralloy св Woodland Grey® Matt | Dulux Duralloy APO Grey Satin | 1 | | |

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call 1300WARRANTY



For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.

| Dulux Duralloy | Dulux Duralloy | Dulux Duralloy | Dulux Duralloy CB | Dulux Duralloy |
|------------------------|------------------------|--------------------|-------------------|-------------------|
| Surfmist® | Anotec® Off White | Anotec® Mid Bronze | Dune® | Anotec® Dark Grey |
| Matt | Matt | Matt | Matt | Matt |
| Dulux Duralloy | Dulux Duralloy | Dulux Duralloy | Dulux Duralloy св | Dulux Duralloy CB |
| White Birch | Stone Beige | Notre Dame | Pale Eucalypt® | Paperbark® |
| Gloss | Matt | Gloss | Satin | Satin |
| | | | | |
| Dulux Duralloy | Dulux Duralloy св | Dulux Duralloy | Dulux Duralloy | Dulux Duralloy CB |
| Primrose | Black (C/B Night Sky®) | Pearl White | Bright White | Hammersley Brown |
| Gloss | Matt | Gloss | Gloss | Satin |
| | | | | |
| Dulux Duralloy | Dulux Duralloy св | Dulux Duralloy | Dulux Duralloy | Dulux Duralloy |
| Metropolis Storm Pearl | Charcoal | Oyster | Berry Grey | Zeus Charcoal |
| Satin | Satin | Matt | Satin | Satin |



Dulux Duralloy Manor Red Satin

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit <u>www.lockweb.com.au</u> or call **1300WARRANTy**



For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.





Interpon Metallic Lustre Matt



Interpon Vivica Snow Dust Matt



Interpon Sable Core Ten Fine Texture



Interpon Vivica Ultra Silver Gloss



Interpon Vivica Storm Front Matt

Interpon Nuance

Silver Pearl

Satin



Interpon Hawthorn Green Gloss

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



We recommend and use Interpon Powders

Disclaimer: Interpon®, Sable[™], Vivica[™], Excel[™] are registered trademarks of AkzoNobel Pty Ltd. Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.



Powdercoat Finishes

 Rose Door Handles:
 Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

 Plate Door Handles:
 1800, 2800, 4800, 5800, 200, 202, 212, 224

 Push/Pull Plates:
 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series. Refer to the series catalogue for specific detailed information.

Reference Table

| Kelerence | IdDIC | | | | | | | | |
|--|--|---|--|--|---|--|---------------------------------------|--|--|
| | Brass Series Rose Door Handles 1220, 1420, 1360, 1370 | Brass Series Plate Door Handles 1800, 2800, 4800, 5800 | Artefact Series Rose Door Handles 260 | Artefact Series Rose Door Handles 260SQ | Artefact Series Plate Door Handles 200, 202, | Artefact Series Plate Door Handles 212, 224 | Push/Pull Plate Series 184, 185 | Push/Pull Plate Series 214/215, 216/217, 218/219 | Push/Pull Plate Series 206/207, 208/209 |
| Antique Copper (AC) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Architectural Bronze Unlacquered (AU) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Oil Rubbed Bronze (ORB) | \checkmark | \checkmark | \checkmark | × | \checkmark | x | \checkmark | \checkmark | × |
| Aged Brass (AG) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Architectural Bronze (AZ) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Polished Brass (PB) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Satin Brass (SB) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | x |
| Polished Brass Unlacquered (BU) | \checkmark | \checkmark | \checkmark | × | \checkmark | × | \checkmark | \checkmark | × |
| Satin Brass Unlacquered (SBU) | \checkmark | \checkmark | \checkmark | × | \checkmark | x | \checkmark | \checkmark | × |
| Satin Chrome Plating (SC) | \checkmark | \checkmark | × | × | × | × | \checkmark | × | × |
| Chrome Plating (CP) | \checkmark | \checkmark | x | × | × | x | \checkmark | × | × |
| Stainless Steel (SS) | × | × | \checkmark | \checkmark | \checkmark | \checkmark | × | \checkmark | \checkmark |
| Polished Stainless Steel (PS) | × | × | \checkmark | × | \checkmark | \checkmark | × | \checkmark | \checkmark |
| Marine Grade Stainless Steel (MG) | x | × | \checkmark | × | \checkmark | \checkmark | × | \checkmark | \checkmark |
| Natural Anodised Aluminium (NT) | x | × | \checkmark | × | \checkmark | \checkmark | x | × | × |

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY





MECHANICAL

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2022 copyright by ASSA ABLOY All rights reserved

